



## DECLARATION OF PERFORMANCE

Nr. S1ENG

1. Unique identification code of the product-type:  
**Septic tank**
2. Element allowing identification of the construction product:  
**RS1000; RS2000; RS3000; RS5000**
3. Intended use:  
**To be used for faecal and organic effluents**
4. Manufacturer:  
**SIA „ROTONS“**  
**„Brilianti“, Eimuri,** Phone: +371 27868148  
**Ādažu novads, LV-2164** E-mail : info@rotons.lv
5. Authorized representative:  
**N/A**
6. System of assessment and verification of constancy of performance:  
**3 system**
7. In case of the construction product covered by a harmonised standard: EN12566-1:2000, EN12566-1:2000/A1:2003 and EN12566-3:2005 + A1:2009  
**VI STATYBOS PRODUKCIJOS SERTIFIKAVIMO CENTRAS** (Notified body No.1397) performed the determination of the product on the basis of type testing under suystem 3, and issued Test reports No.1397-CPD-059/D.6; No.1397-CPR-060/A.2 un No.1397-CPR-061/C.6.
8. European Technical Assessment: **N/A**


9. Declared performance

Essential characteristics	Declared performance	Harmonised technical specification
Used load: - Backfill layer height - Pedestrian (2,5kN/m <sup>2</sup> ) - Water level	- 1700mm - 160mm - 1100mm	EN12566-1:2000, EN12566-1:2000/A1:2003 and EN12566-3:2005
Watertightness	watertight	EN12566-3:2005 + A1:2009
Water volume before test	- 2510 litres	EN12566-3:2005 + A1:2009
Water volume after test	- 2501 litres	EN12566-3:2005 + A1:2009
Variation of water volume	- 9 litres	EN12566-3:2005 + A1:2009
	- 0,36%	EN12566-3:2005 + A1:2009

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed by: Armands Mucenieks, Director, SIA "ROTONS"

Ādaži, 03.2014  
(place and date of issue)

  
-----  
(signature) 